



Work Order (Bid Form)

Auditor: Carey Mathis 615-523-3145 CertiProTN@gmail.com

WORK ORDER INFORMATION

Work Order Name: WO/90009MD2512/1

Work Order Type: Weatherization

Audit Name: Audit (22)

CLIENT INFORMATION

Client Name:

Address:

Client ID: 90009MD2512

Nashville, TN 37209

Alt. Client ID: Davidson

AGENCY INFORMATION

Agency: Metropolitan Development and Housing Agency

Agency Phone: (615) 252-8500

Address: 701 South Sixth Street
Nashville, TN 37206

Fax: (615) 252-8533

Email Address:

Company Name & License Number: _____

Contractor's Signature: _____

COMMENT

- Contractor to follow International Residential Code as adopted by Tennessee, and any codes for all County(s) or City(s), served by the agency as applicable as well as and the Tennessee Weatherization Field Guide. Always pick the more stringent of the two.
- Contractor to verify measurements
- Certified Firm/Renovator May Be Required

Client Name:

Client ID: 90009MD2512

Alt. Client ID: Davidson

Work Order (Bid Form)

Work Order Name: WO/90009MD2512/1

Report Run On: 12/8/2011

DOE Weatherization Assistant

Version 8.6.0

Page 1 of 13

Measures

Measure 1	Infiltration Redctn	Components	Inspected																																																																											
Comment	1. seal all plumbing penetrations from the crawlspace (walk-in) Kitchen, Laundry, Full Bathroom. Also there is a large opening where a tub drain is that will require block sealing. 2. Seal 7 supply ducts and one return (all in floor) form the crawlspace side at the floor junctions only not at the seams. Before insulating the metal boot flanges. 3. Patch two small 3" holes on the East wall, WL2, block wall, Exterior. 4. The chimney is capped off but not air tight. The fireplace to chimney junction is to be sealed off air tight. The opening is approx. 18"x13" 5. Seal at the plumbing pipes that run through the floor and ceiling located in the front office/bedroom closet. The sealing can be done in the crawlspace and in the attic. 6. Seal at the floor to wall junction of the closet of the front bedroom/office. Closet size is approx. 24"x48" Note large gaps (up to 2") more than a caulk gun can handle. - Blower Door reading was 50/3271, Open Ring, Baseline Auto, Location Front Door, 57 Degrees, Wind SSE 6 mph, Raining The target door door reading is 2289 - Pressure Pan Readings Return 30 Living Room 1 Kitchen 1 Laundry 1.1 Master Bedroom Back 1.8 Master bedroom 1 Office 0.6 Bathroom 0.5		<input style="width: 40px; height: 20px;" type="checkbox"/>																																																																											
<table border="1" style="width: 100%; border-collapse: collapse; margin-top: 20px;"> <thead> <tr> <th rowspan="2">#</th> <th rowspan="2">Material / Labor</th> <th rowspan="2">Description / Comment</th> <th rowspan="2">Units</th> <th rowspan="2">Qty</th> <th colspan="2">Estimated</th> <th colspan="3">Actual</th> </tr> <tr> <th>Unit Cost</th> <th>Total</th> <th>Qty</th> <th>Unit Cost</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td>10</td> <td>Miscellaneous Su</td> <td>Infiltration Reduction</td> <td>Each</td> <td>1</td> <td><input style="width: 60px;" type="text"/></td> <td><input style="width: 60px;" type="text"/></td> <td><input style="width: 60px;" type="text"/></td> <td><input style="width: 60px;" type="text"/></td> <td><input style="width: 60px;" type="text"/></td> </tr> <tr> <td colspan="10"> Other Detail </td> </tr> <tr> <td><input style="width: 100px;" type="text"/></td> <td><input style="width: 180px;" type="text"/></td> <td><input style="width: 60px;" type="text"/></td> <td><input style="width: 40px;" type="text"/></td> <td><input style="width: 40px;" type="text"/></td> <td><input style="width: 60px;" type="text"/></td> <td><input style="width: 60px;" type="text"/></td> <td><input style="width: 60px;" type="text"/></td> <td><input style="width: 60px;" type="text"/></td> <td><input style="width: 60px;" type="text"/></td> </tr> <tr> <td><input style="width: 100px;" type="text"/></td> <td><input style="width: 180px;" type="text"/></td> <td><input style="width: 60px;" type="text"/></td> <td><input style="width: 40px;" type="text"/></td> <td><input style="width: 40px;" type="text"/></td> <td><input style="width: 60px;" type="text"/></td> <td><input style="width: 60px;" type="text"/></td> <td><input style="width: 60px;" type="text"/></td> <td><input style="width: 60px;" type="text"/></td> <td><input style="width: 60px;" type="text"/></td> </tr> <tr> <td colspan="7" style="text-align: right;">Measure Sub Total:</td> <td><input style="width: 60px;" type="text"/></td> <td colspan="2" style="text-align: right;">Sub Total:</td> </tr> <tr> <td colspan="10" style="height: 80px; vertical-align: top; padding: 5px;"> Field Notes: </td> </tr> </tbody> </table>				#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual			Unit Cost	Total	Qty	Unit Cost	Total	10	Miscellaneous Su	Infiltration Reduction	Each	1	<input style="width: 60px;" type="text"/>	<input style="width: 60px;" type="text"/>	<input style="width: 60px;" type="text"/>	<input style="width: 60px;" type="text"/>	<input style="width: 60px;" type="text"/>	Other Detail										<input style="width: 100px;" type="text"/>	<input style="width: 180px;" type="text"/>	<input style="width: 60px;" type="text"/>	<input style="width: 40px;" type="text"/>	<input style="width: 40px;" type="text"/>	<input style="width: 60px;" type="text"/>	<input style="width: 60px;" type="text"/>	<input style="width: 60px;" type="text"/>	<input style="width: 60px;" type="text"/>	<input style="width: 60px;" type="text"/>	<input style="width: 100px;" type="text"/>	<input style="width: 180px;" type="text"/>	<input style="width: 60px;" type="text"/>	<input style="width: 40px;" type="text"/>	<input style="width: 40px;" type="text"/>	<input style="width: 60px;" type="text"/>	<input style="width: 60px;" type="text"/>	<input style="width: 60px;" type="text"/>	<input style="width: 60px;" type="text"/>	<input style="width: 60px;" type="text"/>	Measure Sub Total:							<input style="width: 60px;" type="text"/>	Sub Total:		Field Notes:									
#	Material / Labor	Description / Comment	Units						Qty	Estimated		Actual																																																																		
				Unit Cost	Total	Qty	Unit Cost	Total																																																																						
10	Miscellaneous Su	Infiltration Reduction	Each	1	<input style="width: 60px;" type="text"/>	<input style="width: 60px;" type="text"/>	<input style="width: 60px;" type="text"/>	<input style="width: 60px;" type="text"/>	<input style="width: 60px;" type="text"/>																																																																					
Other Detail																																																																														
<input style="width: 100px;" type="text"/>	<input style="width: 180px;" type="text"/>	<input style="width: 60px;" type="text"/>	<input style="width: 40px;" type="text"/>	<input style="width: 40px;" type="text"/>	<input style="width: 60px;" type="text"/>	<input style="width: 60px;" type="text"/>	<input style="width: 60px;" type="text"/>	<input style="width: 60px;" type="text"/>	<input style="width: 60px;" type="text"/>																																																																					
<input style="width: 100px;" type="text"/>	<input style="width: 180px;" type="text"/>	<input style="width: 60px;" type="text"/>	<input style="width: 40px;" type="text"/>	<input style="width: 40px;" type="text"/>	<input style="width: 60px;" type="text"/>	<input style="width: 60px;" type="text"/>	<input style="width: 60px;" type="text"/>	<input style="width: 60px;" type="text"/>	<input style="width: 60px;" type="text"/>																																																																					
Measure Sub Total:							<input style="width: 60px;" type="text"/>	Sub Total:																																																																						
Field Notes:																																																																														

Client Name:

Client ID: 90009MD2512

Alt. Client ID: Davidson

Work Order (Bid Form)

Work Order Name: WO/90009MD2512/1

Report Run On: 12/8/2011

DOE Weatherization Assistant

Version 8.6.0

Page 2 of 13

Measure 2 Lighting Retrofits**Components** LT1**Inspected****Comment** Stanard base:

Contractor is to install bulbs which is not limited to lamps, exterior, interior, attics, crawlspaces.

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Lighting	Compact Fl. - 13 Watt	Each Lamp	18	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Compact Fl. - 13 Watt	Each Lamp	18	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:****Measure 3 Duct Insulation****Components****Inspected**

Comment The 7 feet for uninsulated supply ducts is for the metal boot flanges that connect the supply ducts to the floor. There are 7 registers that need to be insulated.

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Insulation	Duct Insulation	SqFt	14.66	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Duct Insulation	SqFt	14.66	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:**

Client Name:

Client ID: 90009MD2512

Alt. Client ID: Davidson

Work Order (Bid Form)

Work Order Name: WO/90009MD2512/1

Report Run On: 12/8/2011

DOE Weatherization Assistant

Version 8.6.0

Page 3 of 13

Measure 4 DWH Pipe Insulation**Components****Inspected****Comment** 40 gal electric located in the crawlspace

Wrap up to the 1first five feet of both the hot and cold lines.

☐

#	Material / Labor	Description / Comment	Units	Estimated			Actual		
				Qty	Unit Cost	Total	Qty	Unit Cost	Total
1	Insulation	DHW Pipe Insulation	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	DHW Pipe Insulation	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:****Measure 5 DWH Tank Insulation****Components****Inspected****Comment** 40 gal electric located in the crawlspace☐

#	Material / Labor	Description / Comment	Units	Estimated			Actual		
				Qty	Unit Cost	Total	Qty	Unit Cost	Total
1	Hot Water Equip	DHW Tank Insulation	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	DHW Tank Insulation	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:**

Client Name:

Client ID: 90009MD2512

Alt. Client ID: Davidson

Work Order (Bid Form)

Work Order Name: WO/90009MD2512/1

Report Run On: 12/8/2011

DOE Weatherization Assistant

Version 8.6.0

Page 4 of 13

Measure 6 Floor Ins. R-19**Components** F1**Inspected**

Comment Floor Joist Size is 2x8, 24oc. There are stored items located in the crawlspace and a lot of loose large loose rocks. The crawlspace is a walk-in.
Bid to include the cost to repair two leaks in the crawlspace. 1. The cast iron waste line was leaking at the toilet. 2. A CPVC drain line at the bathroom.
These repairs are required to protect the install of the floor insulation.

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Insulation	Floor Insulation - Fiberglass Faced Batt - R-19	SqFt	888	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Floor Insulation - Fiberglass Faced Batt - R-19	SqFt	888	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
3	Miscellaneous Su	Added Misc Cost	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:**

Client Name:

Client ID: 90009MD2512

Alt. Client ID: Davidson

Work Order (Bid Form)

Work Order Name: WO/90009MD2512/1

Report Run On: 12/8/2011

DOE Weatherization Assistant

Version 8.6.0

Page 5 of 13

Measure 7 Attic Ins. R-38**Components** A1**Inspected****Comment** Cost is to cover the install of a new attic access panel and energy lid also.

The access opening is approx. 23"x23"

The existing insulation is R11 rolled fiberglass and is cut to fit 16oc but the attic is 24oc

Contracor is to blow 13 inches or approx. 48 bags per the Insulation

Calulation Table of the field guide to obtain an R-38 value rating for this attic.

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Insulation	Attic Insulation - Cellulose, Blown - R-38	SqFt	888	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Attic Insulation - Cellulose, Blown - R-38	SqFt	888	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
3	Miscellaneous Su	Added Misc Cost	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:**

Client Name:

Client ID: 90009MD2512

Alt. Client ID: Davidson

Work Order (Bid Form)

Work Order Name: WO/90009MD2512/1

Report Run On: 12/8/2011

DOE Weatherization Assistant

Version 8.6.0

Page 6 of 13

Measure 8 Wall Insulation**Components** WL3,WL4,WL5**Inspected**

Comment Cost is to include the repair of the wood siding at the electrical meter. The area is approx. 30"x30" and will need to be primed and painted to match the current paint color of the home. For WL3. This is where the electric meter is mounted. A qualified electrical may be required.
All walls to be blown are wood siding T1 11 style.

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Insulation	Wall Insulation - Cellulose, Blown - 2x4 Filled	SqFt	245.5	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Wall Insulation - Cellulose, Blown - 2x4 Filled	SqFt	245.5	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
3	Miscellaneous Su	Added Misc Cost	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:**

Client Name:

Client ID: 90009MD2512

Alt. Client ID: Davidson

Work Order (Bid Form)

Work Order Name: WO/90009MD2512/1

Report Run On: 12/8/2011

DOE Weatherization Assistant

Version 8.6.0

Page 7 of 13

Measure 9 Storm Windows

Components WD6

Inspected

Comment Size is Approx. 48"x30" This is an approx. measurement and the contractor is to verify measurements

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Windows	Storm Window	SqFt	10	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Storm Window	SqFt	10	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
3	Other	Storm Window	Each Window	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:

Sub Total:

Field Notes:

Measure 10 CO Monitor is Needed

Components

Inspected

Comment

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Health and Safety	CO monitor	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:

Sub Total:

Field Notes:

Client Name:

Client ID: 90009MD2512

Alt. Client ID: Davidson

Work Order (Bid Form)

Work Order Name: WO/90009MD2512/1

Report Run On: 12/8/2011

DOE Weatherization Assistant

Version 8.6.0

Page 8 of 13

Measure 11 Fix Any Other Heating System Problem**Components****Inspected****Comment** The exterior metal shroud needs to be sealed at the wall to shroud junction.☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Health and Safety	Equipment	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Hour	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:****Measure 12 Fix Other Water Heating Problem****Components****Inspected****Comment** Secure wiring back in the wiring housing on the tank before wrapping.☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Health and Safety	Equipment	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Hour	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:**

Client Name:

Client ID: 90009MD2512

Alt. Client ID: Davidson

Work Order (Bid Form)

Work Order Name: WO/90009MD2512/1

Report Run On: 12/8/2011

DOE Weatherization Assistant

Version 8.6.0

Page 9 of 13

Measure 13 Install Bathroom Exhaust Fan**Components****Inspected****Comment** This is a new install and is to be routed to the exterior.☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Health and Safety	Bathroom exhaust fan	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Hour	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:****Measure 14 Install Kitchen Exhaust Fan****Components****Inspected****Comment** This is a new install. There is no cabinet overhead. Unit will either need to be placed in the ceiling or through the wall and routed to the exterior.☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Health and Safety	Kitchen exhaust fan	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Hour	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:**

Client Name:

Client ID: 90009MD2512

Alt. Client ID: Davidson

Work Order (Bid Form)

Work Order Name: WO/90009MD2512/1

Report Run On: 12/8/2011

DOE Weatherization Assistant

Version 8.6.0

Page 10 of 13

Measure 15 PressureRelief Piping Needed**Components****Inspected****Comment** There was an improperly sized hose attached which need to be replaced.☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Health and Safety	Pressure relief piping	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:****Measure 16 Replace the back/side door****Components****Inspected**

Comment The back/side door is wrapped and the frame is not square this is due to be storm doors and the sun. The heat from the sun is causing the doors to warp. Contractor is to educate the client as to the reason their doors are warped and state to them that you need to remove the storm doors due to this. The door would not latch and lock.
3680 Steel door Contractor to verify if door is a right hand or left hand. Install a combo unit door and frame.

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
10	Unspecified	Misc Material	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:**

Client Name:

Client ID: 90009MD2512

Alt. Client ID: Davidson

Work Order (Bid Form)

Work Order Name: WO/90009MD2512/1

Report Run On: 12/8/2011

DOE Weatherization Assistant

Version 8.6.0

Page 11 of 13

Measure 17 Replace the Front door unit**Components****Inspected**

Comment The front door is warped and the frame is not square this is due to be storm doors and the sun. The heat from the sun is causing the doors to warp. Contractor is to educate the client as to the reason their doors are warped and state to them that you need to remove the storm doors due to this. The door would not latch and lock.
3680 Steel door Contractor to verify if door is a right hand or left hand. Install a combo unit door and frame.

☐

#	Material / Labor	Description / Comment	Units	Estimated			Actual		
				Qty	Unit Cost	Total	Qty	Unit Cost	Total
10	Unspecified	Misc Material	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Other Detail									
					<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
					<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Measure Sub Total:						<input type="text"/>	Sub Total:		<input type="text"/>

Field Notes:**Measure 18 Smoke Detector is Needed****Components****Inspected****Comment**☐

#	Material / Labor	Description / Comment	Units	Estimated			Actual		
				Qty	Unit Cost	Total	Qty	Unit Cost	Total
1	Health and Safety	Smoke detector	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Other Detail									
					<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
					<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Measure Sub Total:						<input type="text"/>	Sub Total:		<input type="text"/>

Field Notes:

Client Name:

Client ID: 90009MD2512

Alt. Client ID: Davidson

Work Order (Bid Form)

Work Order Name: WO/90009MD2512/1

Report Run On: 12/8/2011

DOE Weatherization Assistant

Version 8.6.0

Page 12 of 13

**Measure 19 Supply Temperature Adjustment
Needed (Water Heat)****Components****Inspected****Comment** Adjust the top and bottom thermostats to 120 degrees. 40 gal electric

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Health and Safety	Equipment	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:****Work Order Grand Total:****Grand Total:**

Client Name:

Client ID: 90009MD2512

Alt. Client ID: Davidson

Work Order (Bid Form)

Work Order Name: WO/90009MD2512/1

Report Run On: 12/8/2011

DOE Weatherization Assistant

Version 8.6.0

Page 13 of 13